

REPORT DOCUMENTATION PAGE					<i>Form Approved</i> OMB No. 0704-0188	
The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.						
1. REPORT DATE (DD-MM-YYYY) 29-05-2014		2. REPORT TYPE Final		3. DATES COVERED (From - To) 25 Mar 2013 to 24 Mar 2014		
4. TITLE AND SUBTITLE Mitigation of CO poisoning on functionalized Pt/TiN(001) surface: A fundamental study of the next-generation fuel cell technologies				5a. CONTRACT NUMBER FA2386-13-1-4004		
				5b. GRANT NUMBER Grant AOARD-134004		
				5c. PROGRAM ELEMENT NUMBER 61102F		
6. AUTHOR(S) Prof. Sze Lok Soon				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Yonsei University 50 Yonsei-Ro, Seodaemun-Gu Seoul 120-749 Korea				8. PERFORMING ORGANIZATION REPORT NUMBER N/A		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) AOARD UNIT 45002 APO AP 96338-5002				10. SPONSOR/MONITOR'S ACRONYM(S) AFRL/AFOSR/IOA(AOARD)		
				11. SPONSOR/MONITOR'S REPORT NUMBER(S) AOARD-134004		
12. DISTRIBUTION/AVAILABILITY STATEMENT Distribution A: Approved for public release. Distribution is unlimited						
13. SUPPLEMENTARY NOTES						
14. ABSTRACT It has been previously reported that the system of embedding single Pt atom in the N-vacancy site on TiN(100) surface (Pt/TiN) could be a promising catalyst for proton exchange membrane fuel cells (PEM FCs). The adsorption properties of molecules on Pt/TiN are an important step, when it is incorporated as the anode or cathode of PEM FCs. Utilizing the first principle calculations based on density-functional theory, this proposal systematically investigates the adsorption of several atomic and molecular species on Pt/TiN system, as well as the co-adsorption of these molecular fragments. The favourable binding sites and energies of adsorption of several molecular species, namely carbon dioxide (CO ₂), carbon monoxide (CO), oxygen (O ₂), hydrogen (H ₂), hydroxyl (OH), oxygen atom (O), and hydrogen atom (H) are explored. For each, the formation energies, preferred binding site and their associated vibration frequencies will be studied. Preliminary results of molecular adsorption indicate that these interactions could well be dominant surface interactions under operational conditions. To further study the fundamental impact of surface functional groups on CO mitigation in this catalyst system, the co-adsorption of CO and OH (or H) on the Pt/TiN surface are also investigated. In this proposal, we will attempt to study and explain the fundamental mechanism behind the mitigation of CO poisoning on functionalized Pt/TiN surfaces under both acidic and basic operation conditions in PEM FCs.						
15. SUBJECT TERMS Catalysis, fuel cells, density functional theory, density functional theory, proton exchange membrane, proton exchange membrane						
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON Tammy Low, Lt Col, USAF, Ph.D.	
a. REPORT	b. ABSTRACT	c. THIS PAGE			19b. TELEPHONE NUMBER (Include area code) +81-3-5410-4409	
U	U	U	SAR	3		

Report Documentation Page		Form Approved OMB No. 0704-0188
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.		
1. REPORT DATE 29 MAY 2014	2. REPORT TYPE Final	3. DATES COVERED 25-03-2013 to 24-03-2014
4. TITLE AND SUBTITLE Mitigation of CO poisoning on functionalized Pt/TiN(001) surface: A fundamental study of the next-generation fuel cell technologies		5a. CONTRACT NUMBER FA2386-13-1-4004
		5b. GRANT NUMBER
		5c. PROGRAM ELEMENT NUMBER 61102F
6. AUTHOR(S) Sze Lok Soon		5d. PROJECT NUMBER
		5e. TASK NUMBER
		5f. WORK UNIT NUMBER
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Yonsei University,50 Yonsei-Ro, Seodaemun-Gu,Seoul 120-749,Korea,KR,120-749		8. PERFORMING ORGANIZATION REPORT NUMBER N/A
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) AOARD, UNIT 45002, APO, AP, 96338-5002		10. SPONSOR/MONITOR'S ACRONYM(S) AFRL/AFOSR/IOA(AOARD)
		11. SPONSOR/MONITOR'S REPORT NUMBER(S) AOARD-
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited		
13. SUPPLEMENTARY NOTES		
14. ABSTRACT It has been previously reported that the system of embedding single Ptatom in the N-vacancy site on TiN(100) surface (Pt/TiN) could be a promising catalyst for proton exchange membrane fuel cells (PEM FCs). The adsorption properties of molecules on Pt/TiN are an important step, when it is incorporated as the anode or cathode of PEM FCs. Utilizing the first principle calculations based on density-functional theory, this proposal systemically investigates the adsorption of several atomic and molecular species on Pt/TiN system, as well as the coadsorption of these molecular fragments. The favourable binding sites and energies of adsorption of several molecular species, namely carbon dioxide (CO2), carbon monoxide (CO), oxygen (O2), hydrogen (H2), hydroxyl (OH), oxygen atom (O), and hydrogen atom (H) are explored. For each the formation energies, preferred binding site and their associated vibration frequencies will be studied. Preliminary results of molecular adsorption indicate that these interactions could well be dominant surface interactions under operational conditions. To further study the fundamental impact of surface functional groups on CO mitigation in this catalyst system, the co-adsorption of CO and OH (or H) on the Pt/TiN surface are also investigated. In this proposal, we will attempt to study and explain the fundamental mechanism behind the mitigation of CO poisoning on functionalized Pt/TiN surfaces under both acidic and basic operation conditions in PEM FCs.		
15. SUBJECT TERMS Catalysis, fuel cells , density functional theory, density functional theory, proton exchange membrane, proton exchange membrane		

16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 3	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

**“Mitigation of CO poisoning on functionalized Pt/TiN(001) surface:
A fundamental study of the next-generation fuel cell technologies”**

27th May 2014

Name of Principal Investigators (PI and Co-PIs): Aloysius Soon, Ph.D.

- e-mail address : aloysius.soon@yonsei.ac.kr
- Institution : Yonsei University, South Korea
- Mailing Address : 50 Yonsei-Ro, Seodaemun-Gu, 120-749, Seoul
- Phone : +82-10-2923-5839
- Fax : +82-2-312-5375

Period of Performance: March/25/2013 – March/24/2014

Abstract: It has been previously reported that the system of embedding single Pt atom in the N-vacancy site on TiN(100) surface (Pt/TiN) could be a promising catalyst for proton exchange membrane fuel cells (PEM FCs). The adsorption properties of molecules on Pt/TiN are an important step, when it is incorporated as the anode or cathode of PEM FCs. Utilizing the first principle calculations based on density-functional theory, this proposal systemically investigates the adsorption of several atomic and molecular species on Pt/TiN system, as well as the co-adsorption of these molecular fragments. The favourable binding sites and energies of adsorption of several molecular species, namely carbon dioxide (CO₂), carbon monoxide (CO), oxygen (O₂), hydrogen (H₂), hydroxyl (OH), oxygen atom (O), and hydrogen atom (H) are explored. For each, the formation energies, preferred binding site and their associated vibration frequencies will be studied. Preliminary results of molecular adsorption indicate that these interactions could well be dominant surface interactions under operational conditions. To further study the fundamental impact of surface functional groups on CO mitigation in this catalyst system, the co-adsorption of CO and OH (or H) on the Pt/TiN surface are also investigated. In this proposal, we will attempt to study and explain the fundamental mechanism behind the mitigation of CO poisoning on functionalized Pt/TiN surfaces under both acidic and basic operation conditions in PEM FCs.

Introduction: Recently, we have studied and reported the unique role of titanium nitride supports for single-atom platinum-based catalysts in fuel cell technology using first-principles DFT calculations. We have investigated the adsorption properties of Pt atoms on the pristine TiN(001) surface, as well as the dominant influence of surface defects on the thermodynamic stability of platinized TiN. Optimized atomic geometries, energetics, and analysis of the electronic structure of the Pt/TiN system are reported for various surface coverages of Pt. We find that atomic Pt does not bind preferably to the clean TiN surface, but under typical PEM fuel cell operating conditions, i.e. strongly oxidizing conditions, TiN surface vacancies play a crucial role in anchoring the Pt atom for its catalytic function. Whilst considering the energetic stability of the Pt/TiN structures under varying N

conditions, embedding Pt at the surface N-vacancy site is found to be the most favorable under N-lean conditions. Thus, in-line with reported experimental findings, we propose that the system of embedding Pt at the surface N-vacancy sites on TiN(100) surfaces could be promising catalysts for PEM fuel cells.

Experiment: We employ the projector augmented-wave (PAW) method for the electron-ion interactions and the generalized-gradient approximation (GGA) due to Perdew, Burke and Ernzerhof (PBE) for the exchange-correlation functional in density-functional theory (DFT), as implemented in the Vienna *ab initio* Simulations Package (VASP). With its PAW potentials, VASP combines the accuracy of all-electron methods with the computational efficiency of plane-wave approaches.

Using this computational setup, we study and investigate the chemical effects of simple chemisorbed species on this Pt/TiN surface, and also hope to provide an first-principles based explanation of how these surface functional groups (under both acidic and basic conditions) could help in the mitigation of CO poisoning of this Pt/TiN catalyst system.

Details can be found in the following published papers:

1. R. Q. Zhang, C.-E. Kim, B.-D. Yu, C. Stampfl, and A. Soon, Mitigation of CO poisoning on functionalized Pt/TiN surfaces, *Phys. Chem. Chem. Phys.* **15**, 19450 (2013)

Results and Discussion: In summary, from the first-principles calculations based on density-functional theory, the adsorption of several molecular species – namely CO₂, CO, O₂, H₂, OH, O, and H, on the Pt–TiN system, as well as the co-adsorption of CO with H or OH, were performed and systemically investigated. We find that the molecular adsorbates CO₂, CO and H bind preferentially to the T_{Pt} site, whilst other molecular adsorbates like OH and O prefer the T_{Ti} site. We also find that surface functional groups (e.g. OH or H) in the presence of the CO adsorbate drastically weaken the CO adsorption energy on the Pt–TiN(100) surface. On the basis of these findings, we propose that the acid and base conditions in PEM FCs could well provide a possible way to minimize CO poisoning on these surface-functionalized Pt–TiN surfaces.

List of Publications and Significant Collaborations that resulted from your AOARD supported project:

Published papers in peer-reviewed journals

1. R. Q. Zhang, C.-E. Kim, B.-D. Yu, C. Stampfl, and A. Soon, Mitigation of CO poisoning on functionalized Pt/TiN surfaces, *Phys. Chem. Chem. Phys.* **15**, 19450 (2013)

Conference presentations without papers

1. 9th World Congress of Chemical Engineering (WCCE9), Seoul, Korea (2013)